





PMEB series (Pitch 5mm)

■ Dimensions (mm)

63Vdc (40Vac)						
Cap. μF	W	H	T	P	d	Part number
0.0010	7.2	6.5	2.5	5.0	0.5	PMEBX102+0063D*05**
0.0015	7.2	6.5	2.5	5.0	0.5	PMEBX152+0063D*05**
0.0022	7.2	6.5	2.5	5.0	0.5	PMEBX222+0063D*05**
0.0027	7.2	6.5	2.5	5.0	0.5	PMEBX272+0063D*05**
0.0033	7.2	6.5	2.5	5.0	0.5	PMEBX332+0063D*05**
0.0039	7.2	6.5	2.5	5.0	0.5	PMEBX392+0063D*05**
0.0047	7.2	6.5	2.5	5.0	0.5	PMEBX472+0063D*05**
0.0068	7.2	6.5	2.5	5.0	0.5	PMEBX682+0063D*05**
0.0082	7.2	6.5	2.5	5.0	0.5	PMEBX822+0063D*05**
0.010	7.2	6.5	2.5	5.0	0.5	PMEBX103+0063D*05**
0.015	7.2	6.5	2.5	5.0	0.5	PMEBX153+0063D*05**
0.022	7.2	6.5	2.5	5.0	0.5	PMEBX223+0063D*05**
0.027	7.2	6.5	2.5	5.0	0.5	PMEBX273+0063D*05**
0.033	7.2	6.5	2.5	5.0	0.5	PMEBX333+0063D*05**
0.047	7.2	6.5	2.5	5.0	0.5	PMEBX473+0063D*05**
0.056	7.2	6.5	2.5	5.0	0.5	PMEBX563+0063D*05**
0.068	7.2	6.5	2.5	5.0	0.5	PMEBX683+0063D*05**
0.082	7.2	6.5	2.5	5.0	0.5	PMEBX823+0063D*05**
0.10	7.2	6.5	2.5	5.0	0.5	PMEBX104+0063D*05**
0.12	7.2	6.5	2.5	5.0	0.5	PMEBX124+0063D*05**
0.15	7.2	7.5	3.5	5.0	0.5	PMEBX154+0063D*05**
0.18	7.2	7.5	3.5	5.0	0.5	PMEBX184+0063D*05**
0.22	7.2	7.5	3.5	5.0	0.5	PMEBX224+0063D*05**
0.27	7.2	7.5	3.5	5.0	0.5	PMEBX274+0063D*05**
0.33	7.2	9.5	4.5	5.0	0.5	PMEBX334+0063D*05**
0.39	7.2	9.5	4.5	5.0	0.5	PMEBX394+0063D*05**
0.47	7.2	9.5	4.5	5.0	0.5	PMEBX474+0063D*05**
0.56	7.2	11	6	5.0	0.5	PMEBX564+0063D*05**
0.68	7.2	11	6	5.0	0.5	PMEBX684+0063D*05**
0.82	7.2	11	6	5.0	0.5	PMEBX824+0063D*05**
1.0	7.2	11	6	5.0	0.5	PMEBX105+0063D*05**

100Vdc (63Vac)						
Cap. μF	W	H	T	P	d	Part number
0.0010	7.2	6.5	2.5	5.0	0.5	PMEBX102+0100D*05**
0.0015	7.2	6.5	2.5	5.0	0.5	PMEBX152+0100D*05**
0.0022	7.2	6.5	2.5	5.0	0.5	PMEBX222+0100D*05**
0.0027	7.2	6.5	2.5	5.0	0.5	PMEBX272+0100D*05**
0.0033	7.2	6.5	2.5	5.0	0.5	PMEBX332+0100D*05**
0.0039	7.2	6.5	2.5	5.0	0.5	PMEBX392+0100D*05**
0.0047	7.2	6.5	2.5	5.0	0.5	PMEBX472+0100D*05**
0.0068	7.2	6.5	2.5	5.0	0.5	PMEBX682+0100D*05**
0.0082	7.2	6.5	2.5	5.0	0.5	PMEBX822+0100D*05**
0.010	7.2	6.5	2.5	5.0	0.5	PMEBX103+0100D*05**
0.015	7.2	6.5	2.5	5.0	0.5	PMEBX153+0100D*05**
0.022	7.2	6.5	2.5	5.0	0.5	PMEBX223+0100D*05**
0.027	7.2	6.5	2.5	5.0	0.5	PMEBX273+0100D*05**
0.033	7.2	6.5	2.5	5.0	0.5	PMEBX333+0100D*05**
0.047	7.2	6.5	2.5	5.0	0.5	PMEBX473+0100D*05**
0.056	7.2	6.5	2.5	5.0	0.5	PMEBX563+0100D*05**
0.068	7.2	6.5	2.5	5.0	0.5	PMEBX683+0100D*05**
0.082	7.2	7.5	3.5	5.0	0.5	PMEBX823+0100D*05**
0.10	7.2	7.5	3.5	5.0	0.5	PMEBX104+0100D*05**
0.12	7.2	7.5	3.5	5.0	0.5	PMEBX124+0100D*05**
0.15	7.2	9.5	4.5	5.0	0.5	PMEBX154+0100D*05**
0.18	7.2	9.5	4.5	5.0	0.5	PMEBX184+0100D*05**
0.22	7.2	9.5	4.5	5.0	0.5	PMEBX224+0100D*05**
0.27	7.2	9.5	4.5	5.0	0.5	PMEBX274+0100D*05**
0.33	7.2	11	6	5.0	0.5	PMEBX334+0100D*05**
0.39	7.2	11	6	5.0	0.5	PMEBX394+0100D*05**
0.47	7.2	11	6	5.0	0.5	PMEBX474+0100D*05**
0.56	7.2	11	6	5.0	0.5	PMEBX564+0100D*05**
0.68	7.2	11	6	5.0	0.5	PMEBX684+0100D*05**
0.82	7.2	11	6	5.0	0.5	PMEBX824+0100D*05**
1.0	7.2	11	6	5.0	0.5	PMEBX105+0100D*05**

## PMEB series (Pitch 5mm)

## ■ Dimensions (mm)

250Vdc (160Vac)						
Cap. μF	W	H	T	P	d	Part number
0.0010	7.2	6.5	2.5	5.0	0.5	PMEBX102+0250D*05**
0.0015	7.2	6.5	2.5	5.0	0.5	PMEBX152+0250D*05**
0.0022	7.2	6.5	2.5	5.0	0.5	PMEBX222+0250D*05**
0.0027	7.2	6.5	2.5	5.0	0.5	PMEBX272+0250D*05**
0.0033	7.2	6.5	2.5	5.0	0.5	PMEBX332+0250D*05**
0.0039	7.2	6.5	2.5	5.0	0.5	PMEBX392+0250D*05**
0.0047	7.2	6.5	2.5	5.0	0.5	PMEBX472+0250D*05**
0.0068	7.2	6.5	2.5	5.0	0.5	PMEBX682+0250D*05**
0.0082	7.2	6.5	2.5	5.0	0.5	PMEBX822+0250D*05**
0.010	7.2	6.5	2.5	5.0	0.5	PMEBX103+0250D*05**
0.015	7.2	6.5	2.5	5.0	0.5	PMEBX153+0250D*05**
0.022	7.2	6.5	2.5	5.0	0.5	PMEBX223+0250D*05**
0.027	7.2	7.5	3.5	5.0	0.5	PMEBX273+0250D*05**
0.033	7.2	7.5	3.5	5.0	0.5	PMEBX333+0250D*05**
0.047	7.2	7.5	3.5	5.0	0.5	PMEBX473+0250D*05**
0.056	7.2	7.5	3.5	5.0	0.5	PMEBX563+0250D*05**
0.068	7.2	9.5	4.5	5.0	0.5	PMEBX683+0250D*05**
0.082	7.2	9.5	4.5	5.0	0.5	PMEBX823+0250D*05**
0.10	7.2	9.5	4.5	5.0	0.5	PMEBX104+0250D*05**
0.12	7.2	11	6	5.0	0.5	PMEBX124+0250D*05**
0.15	7.2	11	6	5.0	0.5	PMEBX154+0250D*05**
0.18	7.2	11	6	5.0	0.5	PMEBX184+0250D*05**
0.22	7.2	11	6	5.0	0.5	PMEBX224+0250D*05**

400Vdc (200Vac)						
Cap. μF	W	H	T	P	d	Part number
0.0010	7.2	6.5	2.5	5.0	0.5	PMEBX102+0400D*05**
0.0015	7.2	6.5	2.5	5.0	0.5	PMEBX152+0400D*05**
0.0022	7.2	6.5	2.5	5.0	0.5	PMEBX222+0400D*05**
0.0027	7.2	6.5	2.5	5.0	0.5	PMEBX272+0400D*05**
0.0033	7.2	6.5	2.5	5.0	0.5	PMEBX332+0400D*05**
0.0039	7.2	6.5	2.5	5.0	0.5	PMEBX392+0400D*05**
0.0047	7.2	6.5	2.5	5.0	0.5	PMEBX472+0400D*05**
0.0068	7.2	7.5	3.5	5.0	0.5	PMEBX682+0400D*05**
0.0082	7.2	7.5	3.5	5.0	0.5	PMEBX822+0400D*05**
0.010	7.2	9.5	4.5	5.0	0.5	PMEBX103+0400D*05**
0.015	7.2	9.5	4.5	5.0	0.5	PMEBX153+0400D*05**
0.022	7.2	9.5	4.5	5.0	0.5	PMEBX223+0400D*05**
0.027	7.2	11	6	5.0	0.5	PMEBX273+0400D*05**
0.033	7.2	11	6	5.0	0.5	PMEBX333+0400D*05**
0.047	7.2	11	6	5.0	0.5	PMEBX473+0400D*05**

+ = Capacitance tolerance: K=±10%, J=±5%

\* = Lead forming

\*\* = Lead length













